

1. Apatenkov et al.: Conjugate observation of sharp dynamical boundary in the inner magnetosphere by Cluster and DMSP spacecraft and ground network, *Ann. Geophys.*, 26, 2771-2780, 2008.
2. Artemyev et al.: Comparison of multi-point measurements of current sheet structure and analytical models, *Ann. Geophys.*, 26, 2749-2758, 2008.
3. Asano et al.: Electron flat-top distributions around the magnetic reconnection region, *J. Geophys. Res.*, 113, A01207, doi:10.1029/2007JA012461, 2008.
4. Auster et al.: The THEMIS Fluxgate Magnetometer, *Space Sci. Rev.*, 141, 235-264, doi:10.1007/s11214-008-9365-9, 2008.
5. Cheng et al.: Relationship between FAC at plasma sheet boundary layers and AE index during storms from August to October, 2001, *Sci. China Ser.*, 51, 842-848, doi:10.1007/s11431-008-0058-0, 2008.
6. Contel et al.: First Results of the THEMIS Search Coil Magnetometers, *Space Sci Rev.*, 141, 509–534, doi:10.1007/s11214-008-9371-y, 2008.
7. Despirak et al.: Poleward Expansion of the Westward Electrojet Depending on the Solar Wind and IMF Parameters, *Geomag. Aeron.*, 48, 284-292, 2008.
8. Erkaev et al.: Magnetic double gradient mechanism for flapping oscillations of a current sheet, *Geophys. Res. Lett.*, 35, L02111, doi:10.1029/2007GL032277, 2008.
9. Fedorova et al.: Comparative analysis of Venus and Mars magnetotails, *Planetary and Space Science*, 56, 812-817, doi:10.1016/j.pss.2007.12.012, 2008.
10. Hasegawa et al.: Retreat and reformation of X-line during quasi-continuous tailward-of-the-cusp reconnection under northward IMF, *Geophys. Res. Lett.*, 35, L15104, doi:10.1029/2008GL034767, 2008.
11. Hu et al.: Structures of magnetic null points in reconnection diffusion region: Cluster observations, *Chin. Sci. Bull.*, 53, 1880-1886, doi:10.1007/s11434-008-0173-0, 2008.
12. Ivanova et al.: Reconstruction of time-varying reconnection rate and X-line location, *Ann. Geophys.*, 26, 3445-3450, 2008.
13. Juusola et al.: Ionospheric signatures during a magnetospheric flux rope event, *Ann. Geophys.*, 26, 3967-3977, 2008.
14. Keika et al.: Response of the inner magnetosphere and the plasma sheet to a sudden impulse, *J. Geophys. Res.*, 113, A07S35, doi:10.1029/2007JA012763, 2008.
15. Keiling et al.: Multiple intensifications inside the auroral bulge and their association with plasma sheet activities, *J. Geophys. Res.*, 113, A12216, doi:10.1029/2008JA013383, 2008.
16. Keeling et al.: Correlation of substorm injections, auroral modulations, and ground Pi2, *Geophys. Res. Lett.*, 35, L17S22, doi:10.1029/2008GL033969, 2008.
17. Kepko et al.: Highly periodic stormtime activations observed by THEMIS prior to substorm onset, *Geophys. Res. Lett.*, 35, L17S24, doi:10.1029/2008GL034235, 2008.
18. Kiehas, S.A.: Transport of reconnected magnetic flux and magnetic energy due to magnetotail reconnection, *Planet. a. Space Sci.*, 59, 424-425, doi:10.1016/j.pss.2008.11.012, 2008.
19. Kiehas et al.: Determination of reconnected flux via remote sensing, *Adv. Space Res.*, 41, 1292-1297, doi:10.1016/j.asr.2007.05.069, 2008.
20. Korovinskiy et al.: The 2.5-D analytical model of steady-state Hall magnetic reconnection, *J. Geophys. Res.*, 113, A04205, doi:10.1029/2007JA012852, 2008.
21. Lui et al.: Near-Earth substorm features from multiple satellite observations, *J. Geophys. Res.*, 113, A07S26, doi:10.1029/2007JA012738, 2008.
22. Nakamura, R., W. Baumjohann: Tackling substorm problems: New observational and modeling capabilities, *Eos Trans. AGU*, 89, 324, 2008.

23. Nakamura et al.: Cluster observations of an ion-scale current sheet in the magnetotail under the presence of a guide field, *J. Geophys. Res.*, 113, A07S16, doi:10.1029/2007JA012760, 2008.
24. Pedersen et al.: Electron density estimations derived from spacecraft potential measurements on Cluster in tenuous plasma regions, *J. Geophys. Res.*, 113, A07S33, doi:10.1029/2007JA012636, 2008.
25. Petrukovich et al.: Formation of current density profile in tilted current sheets, *Ann. Geophys.*, 26, 3669–3676, 2008.
26. Retinò et al.: Cluster observations of energetic electrons and electromagnetic fields within a reconnecting thin current sheet in the Earth's magnetotail, *J. Geophys. Res.*, 113, A12215, doi:10.1029/2008JA013511, 2008.
27. Runov et al.: Structure of the near-Earth plasma sheet during tailward flows, *Ann. Geophys.*, 26, 709-724, 2008.
28. Runov et al.: Multi-point observations of the inner boundary of the plasma sheet during geomagnetic disturbances, *Geophys. Res. Lett.*, 35, L17S23, doi:10.1029/2008GL033982, 2008.
29. Runov et al.: Multi-point in-situ and ground-based observations during auroral intensifications, *J. Geophys. Res.*, 113, A00C07, doi:10.1029/2008JA013493, 2008.
30. Runov et al.: Observations of an active thin current sheet, *J. Geophys. Res.*, 113, A07S27, doi:10.1029/2007JA012685, 2008.
31. Sergeev et al.: Study of near-Earth reconnection events with Cluster and Double Star, *J. Geophys. Res.*, 113, A07S36, doi:10.1029/2007JA012902, 2008.

32. Sharma et al.: Transient and localized processes in the magnetotail: a review, *Ann. Geophys.*, 26, 955–1006, 2008.
33. Shi et al.: An interpretation for the bipolar electric field structures parallel to the magnetic field observed in the auroral ionosphere, *Ann. Geophys.*, 26, 1431–1437, 2008.
34. Snekvik et al.: The Hall current system revealed as a statistical significant pattern during fast flows, *Ann. Geophys.*, 26, 3429-3437, 2008.
35. Takada et al.: Local field-aligned current in the magnetotail as observed by Cluster, DSP and MIRACLE conjunction, *J. Geophys. Res.*, 113, A07S20, doi:10.1029/2007JA012759, 2008.
36. Takada et al.: Plasma sheet oscillations and their relation to substorm development: Cluster and Double Star TC1 case study, *Adv. Space Res.*, 41, 1585-1592, doi:10.1016/j.asr.2007.04.008, 2008.
37. Taylor et al.: The plasma sheet and boundary layers under northward IMF: A multi-point and multi-instrument perspective, *Adv. Space Res.*, 41, 1619-1629, doi:10.1016/j.asr.2007.10.013, 2008.
38. Volwerk et al.: Magnetotail Dipolarization and Associated Current Systems Observed by Cluster and DoubleStar, *J. Geophys. Res.*, 113, A08S90, doi:10.1029/2007JA012729, 2008.
39. Volwerk et al.: Study of waves in the magnetotail region with Cluster and DSP, *Adv. Space Res.*, 41, 1593-1597, doi:10.1016/j.asr.2007.04.005, 2008.

40. Volwerk et al.: Tailward propagation of Pi2 waves in the Earth's magnetotail lobe, *Ann. Geophys.*, 26, 4023-4030, 2008.
41. Vörös et al.: Study of reconnection-associated multi-scale fluctuations with Cluster and Double Star, *J. Geophys. Res.*, 113, A07S29, doi:10.1029/2007JA012688, 2008.
42. Vörös et al.: Intermittent turbulence, noisy fluctuations and wavy structures in the Venusian magnetosheath and wake, *J. Geophys. Res.*, 113, E00B21, doi:10.1029/2008JE003159, 2008.
43. Vörös et al.: Magnetic fluctuations and turbulence in the Venus magnetosheath and wake, *Geophys. Res. Lett.*, 35, L11102, doi:10.1029/2008GL033879, 2008.

44. Wang et al.: THEMIS observations of penetration of the plasma sheet into the ring current region during a magnetic storm, *Geophys. Res. Lett.*, 35, L17S14, doi:10.1029/2008GL033375, 2008.
45. Zhang, L.Q. et al.: Near-Earth bursty bulk flows and AE index, *Sci. China Ser.*, 51, doi: 10.1007/s11431-008-0256-9, 1704-1712, 2008.
46. Zhang, L.Q. et al.: A new processing method for the AE index, *Sci. China Ser.*, 51, doi: 10.1007/s11431-008-0255-x, 1713-1720, 2008.
47. Zhang, L.Q. et al.: Convective high-speed flow and field-aligned high-speed flows explored by TC-1, *Chin. Sci. Bull.*, 53, 2371-2375, 2008.